

<p><b>PROFEX SZAKNYELVI VIZSGA</b></p> <p>Felsőfok – angol nyelv Írásbeli Íráskészség</p>		<p>vizsgáló sorszáma:</p> <p>◀ ◀ ◀ ◻</p> <p>dátum: 2007. április 14.</p>
---	--	--

*Írjon hivatalos levelet 200 – 250 szó terjedelemben. Ügyeljen a hivatalos formai követelményekre és térjen ki minden megadott szempontra úgy, hogy a levél egységes szöveget alkosson. Az irányítási szempontoknak nem megfelelő vizsgadolgozat értékelése: 0 pont.*

*A titkosítás érdekében saját neve helyett a megadott nevet használja.*

*Elérhető pontszám: 15 pont.*

*Figyelem! A vizsga akkor lehet sikeres, ha a vizsgáló részegységenként legalább 40%-ot teljesít.*

*Végső megoldásként csak a tintával írt változatot fogadjuk el.*

**MEGOLDÓKULCS  
MINTALEVÉL**

Dr.D.L Carter  
Project Manager  
Mack Pharmaceuticals  
Washington DC  
P.B. 1050 W1M  
USA

6722 Szeged  
Gogol u. 78.  
Hungary

11/04/ 2007

Dear Dr. Carter,

Thank you for inviting me to participate in the experimental testing of the new product of your company, the spray-form of insulin, Exubera. In my district, where I practise as a family doctor, 20 diabetic patients would be involved in the trial. This drug has been approved by the FDA in the USA, and I would like to recommend the product to my diabetic patients as diabetes is a disease of mass incidence not only in the western countries but also in Hungary.

However, I have some doubts concerning the side-effects caused by the use of the spray-form insulin. As literature shows, dysfunctions of the respiratory system may occur. (e.g. asthma-like symptoms, cough, dyspnoea). In many cases the aggravation of cardiovascular symptoms was observed during the experimental testing of Exubera. As most diabetics suffer from heart dysfunctions I am concerned about cardiovascular side-effects. In the case that the product exacerbates already existing cardio-respiratory diseases, one has to consider the harm-benefit ratio of the drug.

Maybe a combined therapy might lessen the severity of side-effects, namely the mid-day insulin could be Exubera in a spray-form insulin. Besides, we should maintain the traditional injection form for morning and evening administration. A mid-day spray-form insulin could improve the quality of life for diabetics and side-effects might be minimized.

Hopefully, our professional cooperation will be fruitful. I am available for a discussion. Please, contact me by e-mail ([eva/ivanforrai@freemail.hu](mailto:eva/ivanforrai@freemail.hu)).

Yours sincerely,  
Eva/Ivan Forrai, MD

242 szó